

## Manual Antenna Positioner MAP2.5-T

### Technical data:

Antenna height manually adjustable	0.3 m – 2.5 m
Total mast height	2.75 m
Load capability	max. 6 kg (when balanced)
For long and heavy antennas, a counter weight is required to balancing the load. Depending on the distance of the antenna gravity center	
Material of antenna mast	Plastic and reinforced fiberglass
Mast cross section	60 mm x 60 mm
Base L x W	0.7 m x 0.7 m
Movable with 4 castors	
Manual polarization	0° / 90° (vert. / hor.)
Manual tilting of antenna	+/- 30°
Stand manually rotatable	+/- 30°
Operating temperature	10° C – 35 ° C
Total weight	approx. 30 kg

### Brief description

The **MAP 2.5-T** manual antenna positioner is specifically designed for measurements in electromagnetic absorption chambers at a fixed measuring height. The MAP 2.5-T has no metal parts (except for the wheels).

Antenna Adapters for all commercially available antennas are available upon request. All antennas during polarisation rotate around their axis to eliminate any elevation errors. Height adjustment, tilting, rotating and polarisation change are performed manually.



Information presented enclosed is subject to change as product enhancements are made regularly. Pictures included are for illustration purposes only and do not represent all possible configurations.